
### Metso

Designed to perform

# Select<sup>TM</sup> horizontal grinding mills



Metso advances an unrivaled innovation legacy by introducing the Select™ horizontal grinding mills. Though the product line is unique, it combines our extensive experience and expertise with our unmatched design capabilities, which allow customers to exceed their operational goals. Our ease of maintenance and reduced downtime results in a more available, reliable and productive mill.

Simplicity without compromising quality Let Metso take the complications out of your operations. With our new innovation. we have thoroughly redefined selection with our simplified process. Pre-engineered mill designs can either be specified by a customer, or chosen by the Metso Process team, after reviewing the application. Next, in the quoting phase, a total proposal package containing a complete offering is provided for review. This offering includes datasheets, general arrangement drawings, foundation drawings, P&ID drawings, standard shipping information as well as manufacturing locations — all in addition to a standard proposal. After an order is placed, standard updates on the equipment status is always communicated. The Select™ horizontal grinding mills are delivered efficiently, and on time — just as Metso promises.

#### Superior performance

The efficiency of your process equipment is a critical factor in maximizing your operation. Our Select<sup>TM</sup> horizontal grinding mills world-class performance is the result of mindful component selection and vast design expertise. Not only do we lead our industry, but we learn from our history. With over a century of experience, Metso experts have proven their industry know-how

with the design of the Select<sup>TM</sup> horizontal grinding mill and its unrivaled performance. Due to the robust design and components, the Select<sup>TM</sup> horizontal grinding mills are exceedingly reliable and capable of handling virtually any application.

Benefits of our pre-engineered solutions
The cost of running an operation can
increase at an alarming rate. Thankfully,
Metso has invested in pre-engineered
solutions, which allows for a reduction in
project costs. In addition to that, the time
required for equipment selection and
delivery is also reduced (due to the use of
standardized equipment selection, quotation
preparation and order execution.) With
developing a pre-engineered package, a lot
of the time and costs that are usually spent
in the engineering and selection stages are
then eliminated. This results in faster mill
deliveries as well.

At Metso, it is our core expertise to help our customers transform their operation whilst transforming the industry. With our innovative robust design, your operation will be up and running with high efficiency and high productivity, allowing you the opportunity to exceed your operational goals today and tomorrow. With an increase in throughput comes an increase in profit and power — what could this do for your operation?

#### Select support

Metso has a complete portfolio of mill reline equipment, lining systems, parts and services that make us your one-stop-shop for each of your operational needs. With our service, you can ensure your mill is consistently running at optimal levels to further enhance your production.

#### Select™ mills


## Select range and components

Take advantage of Metso experience and expertise with our pre-engineered designs. Get your operation up and running with our simple selection and order process that leads to quicker deliveries.

Select scope				
Rotating mill structure				
Start-up set of lining				
Induction drivetrain				

Select tools			
Jacking cradles			
Jacking system			
Hydraulic torque wrenches			
UT bolt tension measuring system			

Select additions				
Feed chute/spout				
Discharge trommel				



Mill type (models)	Diameter	EGL length	Installed power
SAG (31)	3,80 m - 9,00 m	1,90 m EGL - 4,50 m EGL	400 kW - 7.800 kW
Ball (41)	0,60 m - 6,00 m	0,90 m EGL - 12,00 m EGL	2,2 kW - 7.800 kW
Rod (8)	2,40 - 4,60	3,60 m EGL - 6,10 m EGL	200 kW - 1.600 kW

Read more at metso.com/select-mills

metso.com

