Metso


MHCTM Series Hydrocyclone

Exceptional efficiency for optimized performance



Optimized process performance and uptime with MHC[™] hydrocyclones

Designed to improve complete classification package, the Metso's MHCTM Series hydrocyclone responds to diverse needs, balancing grinding circuit cost and plant performance.





MHC[™] hydrocyclones Cutting edge solution enriching Metso's classification capabilities

The story of innovation and efficiency continues through entire Metso's beneficiation solutions. Our world-class wet fine classification technologies help to increase efficiency, capacity and profitability in customer operations.

The new MHC[™] Series provides a cutting-edge solution for a wide range of classification duties ranging from primary grinding to fine regrinding applications. The superior manifold design delivers increased unit capacity while minimizing liner wear, bringing improved efficiency and profitability.

Broad product line offering

The MHC[™] Series has seven different hydrocyclone sizes available, ranging from 100 to 800 mm in diameter. Each size has a range of vortex finder and apex inserts to fine tune classification performance.

MHC Hydrocyclones Curved Bottom

Based on the proven MHCTM Hydrocyclone, our new, unique and patented MHCTM Hydrocyclone curved bottom is a breakthrough for classification processes. It offers increased unit capacity and coarser cut sizes whilst minimizing the fines bypass. The new design helps in significantly improving overall efficiency of the solution.





MHC[™] Hydrocyclone curved bottom Enhance efficiency and maximize capacity in the classification process. Read the leaflet to learn more!

Diverse applications:

- Grinding circuit classification
- Ranges from primary to fine grinding
- Full range of mineral types
- Dewatering and desliming

Why choose Metso MHC™ hydrocyclone?

Equipped with world-class technology and several innovative features, the new range offers significant product advantages.

Inlet head design for increased capacity

- Developed in coordination with Metso's simulation and modeling scientists using the latest CFD-DEM software
- · Inlet head to promote smooth flow of material into the hydrocyclone, minimizing turbulence
- · Increased unit capacity and reduced liner wear
- Rigorously tested in laboratory & field

Manifold design for accurate distribution

- Radial manifolds to accurately distribute the feed and collect the underflow & overflow from multiple hydrocyclones operating in parallel
- Wear-resistant linings are incorporated into the feed distributor, as well as the overflow & underflow launders
- Special attention paid toward safe access for monitoring, sampling and maintaining the hydrocyclones & manifold components

Single component conical section

- · Single component conical section providing ease of maintenance and lower costs
- Unique conical geometry providing a smooth acceleration of particles to promote a sharp particle separation at a low cost
- Quick, safe and easy liner change out due to the simple design and limited number of parts



The MHC[™] Series design represents the next generation of hydrocyclones

Results from over 12,000 hours of field testing

Metso MHC[™] hydrocyclone testing was performed at the pilot scale and at a copper concentrator in southwestern US.


Solution

A Metso MHC-650 (650 mm diameter) was installed in the grinding circuit for wear component prototyping and continued process data collection.

Result

Based on extensive test program the MHC[™] Series offer significant advantages over previously available technologies.


- Industry leading with an increased flow rate for a given pressure drop.
- Wear components within the individual units are optimized to promote even wear life throughout the entire assembly.
- Increased overall wear life and consistent performance throughout the hydrocyclone lifecycle.



Enabling optimization through sense

Metso's MHCTM Hydrocyclone can be equipped with our CycloneSenseTM. The CycloneSenseTM provides a direct, continous and robust online measurement of the hydrocyclones air core, shape, size and location. With this smart monitoring technology this helps enable optimal hydrocyclone performance to improve overall grinding circuit efficiency.

Read more: metso.com/portfolio/cyclonesense/



MHC[™] Series hydrocyclone technical specifications

Model	Body diameter (mm)	Height (mm)	Weight (kg)	Material	Inlet pipe size (inches)	Overflow pipe size (inches)
MHC™100	100	876	8	All Polyurethane	2	2
MHC™150	150	1 064	18.5	All Polyurethane	3	3
MHC™250	250	1 491	125	Steel housing with polyurethane	4	5
MHC™375	375	1 708	210	Steel housing with polyurethane	6	8
MHC™500	500	2 001	375	Steel housing with polyurethane	8	10
MHC™650	650	2 441.3	800	Steel housing with polyurethane	10	14
MHC™800	800	2 943.3	1 225	Steel housing with polyurethane	12	18



Metso is a frontrunner in sustainable technologies, end-to-end solutions and services for the aggregates, minerals processing and metals refining industries globally. We improve our customers' energy and water efficiency, increase their productivity, and reduce environmental risks with our product and service expertise. We are the **partner for positive change**.

metso.com

Metso